




# PIP-II Injector Test's mode of operation in FY17 - Introduction

A. ShemyakinPI-Test radiation meeting14 July 2016

### PIP-II Injector Test (PI-Test) in 2016-2018



- Full PI-Test: 25 MeV, 2 mA CW
- Now: a short MEBT, 2.1 MeV, ~5 mA pulsed, 1% duty
  - ~50 μA average; hope to increase to ~ 500 μA average before the fall shutdown
- After Oct 2016: longer MEBT, need to test 10 mA CW
- 2017 work with full-length MEBT
  - until stopping for cryomodules installation in 2018




### Goal for the meeting


Define a pass to be able of running the MEBT with 10 mA CW in Nov 2016 (from radiation safety point of view)



### **Cave configuration**




3D model of the final cave configuration.
Preliminary shielding assessment was prepared by A. Leveling



Part of the wall, roof, and CMTS are not shown for clarity.
In reality, PI-Test cave is enclosed with concrete blocks and has only the permanent entrance at the Ion Source side and a temporary exit at the downstream side.




## **Present configuration**



Downstream portion of MEBT-1 with installed beam dump



#### **Present radiation situation**



back


MEBT-1: 2.1 MeV, ~5 mA pulsed, 1% duty max

average current lost at scrapers is ~5 µA. 29-June-2016, G. Lauten and A. Shemyakin.

- Radiation is detectable but max is 0.15 mrem/hr @1'
- High-energy particles
- Interpretation from I. Rakhno and N. Mokhov:
  - Gammas from nuclear reactions; neutrons are low
    - Simulations are ongoing
- CW corresponds to increase of the average current by ~x200

A. Shemyakin| Intro 7/14/2016

#### **Present operation mode**




3D model of present configuration. Part of the wall, roof, and CMTS are not shown for clarity. In reality, PI-Test cave is enclosed with concrete blocks and has only the permanent entrance at the Ion Source side and a temporary exit at the downstream side.

- The PI-Test cave is closed but not interlocked
  - Radiation posting; short list of personnel authorized to enter
- Several layers of administrative protection
  - Pulse length is limited at 4 separate places
  - Almost all measurements are done with 0.01% duty
  - Entering the cave with beam running is infrequent
    - Primarily for radiation measurements



## **Suggestion for CW mode**

- Modify the cave to allow the full-length MEBT installation
  - Slightly longer than now + downstream labyrinth
  - Should work unchanged for the entire MEBT work until cryomodules installations



#### **Questions to answer**

- Does the plan sound reasonable?
- What we need to get permission to run CW?
  - Documents
  - Assessment
  - Simulations
  - Measurements
- Who is doing what?
- How realistic is Nov 2016 goal?

